



Max Static weight / Actuator = 250 kg



DETAIL H  
SCALE 1 : 10



Distributor :

ABC LIFT

Customer Ref : 5718  
Customer Name : LTBO

Model : FLEXSTEP V2 5 STEPS

A4



Liftup Order Number :





Lifting Capacity: 400 kg

All Rights reserved Liftup A/S

Scale: 1:35



26-06-2018






## BUILDING SPECIFICATIONS

<b>Distributor :</b>			<b>ABC LIFT</b>			
Customer Ref : 5718 Customer Name : LTBO						
<b>Model :</b>		<b>FLEXSTEP V2 5 STEPS</b>		A4		Liftup Order Number :
Lifting Capacity: 400 kg		All Rights reserved Liftup A/S			Scale: 1:35	26-06-2018



## PRODUCT DIMENSIONS

<b>Distributor :</b>			<b>ABC LIFT</b>		 Liftup Order Number :	
Customer Ref : 5718 Customer Name : LTBO						
<b>Model :</b>		<b>FLEXSTEP V2 5 STEPS</b>	A4			
Lifting Capacity: 400 kg		All Rights reserved Liftup A/S			Scale: 1:30	26-06-2018



## PRODUCT SPECIFICATIONS

**IMPORTANT : Specifications in the table below are NOT production information. Please refer to Liftup official order Confirmation !**

Specifications/Options	Your Product
Installation	Indoor
Travel	900 mm
Width	900 mm
Balustrade Type	Round
Safety Top	Vertical Barrier
Lift Colour	Akzo Nobel 900
Step Inserts Type	Oak
Wood Treatement	Varnish
Handrails Type	Oak
Lower Call St.	Call Station - FlexStep V2 - Wireless - 3 ways
Upper Call St.	Call Station - FlexStep V2 - Wireless - 3 ways
Remote Handheld	
Column for Call St.	
Key Switch ON/OFF	
Prepared for dissassembly	
Weigth of the product	250 kg
Packing	Carton Pallet Box
User Manual	User Guide Manual, FlexStep V2, FR

**Distributor :**

**ABC LIFT**

Customer Ref : 5718  
Customer Name : LTBO

**Model : FLEXSTEP V2 5 STEPS**

A4



Liftup Order Number :

Lifting Capacity: 400 kg

All Rights reserved Liftup A/S

Scale: 1:35

26-06-2018